Dr. Tvrtko Smital

Popis radova akademika Branka Kurelca

1. *Kurelec, B.* (1960) The influence of light and temperature on the development and hatching of the eggs of Fasciola hepatica. Comm. Golden Jubille Vol., University of the Philippines, 129-135.
2. *Ehrlich, I., Forenbacher, S., Rijavec, M., i Kurelec, B.* (1960) Istraživanja o akutnoj metiljavosti. I. O nekim kliničkim i biokemijskim promjenama kod akutne metiljavosti goveda. Vet. Arhiv 30, 229-236.
3. *Ehrlich, I., Forenbacher, S., Rijavec, M., i Kurelec, B.* (1960) Istraživanja o akutnoj metiljavosti. II. O utjecaju atebrina na migracioni stadij velikog metilja u organizmu goveda i o mogućnosti liječenja akutne metiljavosti atebrinom. Vet. Arhiv 30, 307-313.
4. *Kurelec, B., Audi, S., und Ehrlich, I.* (1961) Über die Verteilung des Atebrins bei Fasciola hepatica. Exp. Parasitol. 11, 264-269.
5. *Kurelec, B., i Rijavec, M.* (1961) O mogućnosti liječenja trakavičavosti pasa i kokoši Yomesanom. Vet. glasnik 7, 60-65.
6. *Kurelec, B.* (1962) Ion exchange separation of organic constituents of serum. Biol. glasnik 15, 235-240.
7. *Rijavec, M., Kurelec, B., und Ehrlich, I.* (1962) Über den Verbrauch der Serum-Albumine in vitro durch Fasciola hepatica. Biol. glasnik 15, 103-107.
8. *Ehrlich, I., Rijavec, M., and Kurelec, B.* (1963) Urea synthesis in the liver fluke (Fasciola hepatica L.). Bull. Sci. Conseil Acad., RSF Yugoslavie, Tome 8, 133.
9. *Kurelec, B., und Ehrlich, I.* (1963) Über die Natur der von Fasciola hepatica in vitro ausgeschiedenen Amino- und Ketosauren. Exp. Parasitol. 12, 113-117.
10. *Kurelec, B.* (1964) Ornitinski ciklus velikog metilja (Fasciola hepatica, L.). Disertacija, Sveučiliste u Zagrebu, Zagreb, 1964.
11. *Krvavica, S., Kurelec, B., Martinčić, T., and Maloseja, Ž.* (1964) Enzymatic investigation in the mucosa of the rumen. VI. On the presence of glutamic acid dehydrogenase in the mucosa of the rumen. Vet. Arhiv 34, 207-211.

12. *Krvavica, S., Kurelec, B., and Martinčić, T.* (1964) On the presence of carbamyl phos-phate synthetase and ornithine transcarbamylase in the ruminal mucosa. Vet. Arhiv 34, 94-100.

13. *Kurelec, B.* (1964) Urea synthesis in the liver fluke. I. Krebs-Henseleit urea cycle enzymes in the liver fluke. Vet. Arhiv 34, 193-201.

14. *Kurelec, B.* (1964) Urea synthesis in the liver fluke. II. Function of urea cycle enzymes and relation to the tricarboxylic acid cycle in the liver fluke. Vet. Arhiv 34, 221-227.

15. *Rijavec, M., und Kurelec, B.* (1965) Harnstoffzyklus bei Einigen Rinderparasiten (Helminthen). Z. Parasitenkunde 26, 168-172.

16. *Kurelec, B., and Rijavec, M.* (1966) Amino acid pool of the liver fluke (Fasciola Hepatica, L.). Comp. Biochem. Physiol. 19, 525-531.

17. *Rijavec, M., und Kurelec, B.* (1966) Die Aktivität der Ornithinschen Transcarbamylase und Arginase im Gewebe Verschiedener Entwicklungsstadien des Grossen Leberegels (Fasciola hepatica L.). Z. Parasitenkunde 27, 99-105.

18. *Hill, H., Kurelec, B., and Harmeyer, H.* (1967) A new concept of nitrogen recycling in ruminants. 7th International Congres of Biochemistry, Tokyo, August 19-25, 1967. Abstr. Vol. F-237.

19. *Ehrlich, I., Rijavec, M., and Kurelec, B.* (1968) Urea excretion and synthesis in the liver fluke (Fasciola hepatica, L.), Vet. Arhiv 38, 146-151.

20. *Kurelec, B., Harmeyer, J., und Hill, H.* (1968) Über Funktionen der Arginase, Urease und Ornithintranscarbamylase der Pansenwand. 1. Mitteilung: Arginase und Urease Funktion. Zbl. Vet. Med. A15, 460-469.

21. *Harmeyer, J., Kurelec, B., und Hill, H.* (1968) Über Funktionen der Arginase, Urease und Ornithintranscarbamylase der Pansenwand. 2. Mitteilung: Ornitintranscarbamylase Funktion. Zbl. Vet. Med. A15, 510-516.

22. *Harmeyer, J., Kurelec, B., and Hill, H.* (1968) The metabolic conversion of arginine in the rumen wall and its importance in ruminant nitrogen metabolism. In Isotope Studies on the Nitrogen Chain, International Atomic Energy Agency, Vienna, 265-274.

23. *Kurelec, B., Rijavec, M., and Klepac, R.* (1969) Metabolic fate of histidine in the parasitic worm Fasciola hepatica L. Comp. Biochem. Physiol. 29, 885-887.

24. *Kurelec, B.* (1971) The inability of Fasciola hepatica and Moniezia benedeni to detoxicate benzoic acid in vitro. Vet. Arhiv 48, 196-201.

25. *Kurelec, B.* (1971) Metabolic path of benzoic acid in parasitic helminths Fasciola hepatica and Moniezia benedeni. Int. J. Biochem. 2, 245-248.

26. *Kurelec, B., Povše, A., Rijavec, M., Japelj, M., Globokar, M., and Zupet, P.* (1971) Toxicity of benzoic acid derivatives on Fasciola hepatica in vitro. Vet. Arhiv 42, 5-11.

27. *Miklaušić, B., Petrović, D., Kurelec, B., and Vulinec, M.* (1971) Amino acid pool of the horse serum and urine during the experimental equine infections anemia. Vet. arhiv 41, 217-222.

28. *Kurelec, B.* (1972) Lack of carbamyl phosphate synthesis in some parasitic platyhelminths. Comp. Biochem. Physiol. 43B, 769-780.

29. *Povše, A., Rijavec, M., Kurelec, B., and Zupet, P.* (1972) Toxicity of iodinated benzoic acid derivatives on Fasciola hepatica in vitro. Vet. Arhiv 42, 12-15.

30. *Kurelec, B.* (1973) Initial steps in the de novo pyrimidine biosynthesis in Ascaris suum. J. Parasitol. 59, 1006-1011.

31. *Povše, A., Rijavec, M., Kurelec, B.* (1973) Toxicity of hepatotrophic iodopanoic derivatives on Fasciola hepatica in vitro. Vet. Arhiv 43, 146-152.

32. *Dragojević, M., Režić, I., Kurelec, B.* (1974) Metabolička sudbina citrulina u tkivu velikog metilja (Fasciola hepatica, L). Acta Parasitol. Yugoslav. 5, 25-31.

33. *Kurelec, B.* (1974) Aspartate transcarbamylase in some parasitic platyhelminths. Comp. Biochem. Physiol. 47B, 33-40.

34. *Kurelec, B.* (1974) Die Physiologische Function der Arginase in Leberegel. Acta Parasitol. Yugoslav. 5, 33-43.

35. *Kurelec, B., Rijavec, M., and Povše, A.* (1974) Attempts at using iodopanoic acid as fasciolocide. Vet. Arhiv 44, 52-58.

36. *Kurelec, B.* (1975) Minireview: Molecular biology of helminth parasites. Int. J. Biochem. 6, 375-386.

37. *Kurelec, B.* (1975) Catabolic path of arginine and NAD regeneration in the parasite Fasciola hepatica. Comp. Biochem. Physiol. 51B, 151-156.

38. *Zahn-Daimler, G., Müller, W.E.G, Kurelec, B., Rijavec, M., and Zahn, R.K.* (1975) Regenerating sponge cubes as a model in the impact evaluation of intermittant city and factory waste pollution. Sci. Total Environ. 4, 299-309.

39. *Kurelec, B., and Rijavec, M.* (1976) Occurence of Ó-glutamyl cycle in some parasitic helminths. In Biochemistry of Parasites and Host-Parasite Relationship (ed. H. van den Bossche), Elsevier, 267-275.

40. *Müller, W.E.G., Müller. I., Zahn, R.K., and Kurelec, B.* (1976) Species-specific factor in sponges. VI. Aggregation receptor from the cell surface. J. Cell Sci. 21, 227-241.

41. *Müller, W.E.G., Müller, I., Kurelec, B., and Zahn, R.K.* (1976) Species-specific aggragation factor in sponges. IV. Inactivation of the aggragation factor by mucoid cells from another species. Exp. Cell Res. 98, 227-241.

42. *Breter, H.J., Kurelec, B., Müller, W.E.G., and Zahn, R.K.* (1977) Thymine content of sea water as a measure of biosynthetic potential. Mar. Biol. 40, 1-8.

43. *Kurelec, B., Britvić, S., Rijavec, M., Müller, W.E.G., and Zahn, R.K.* (1977) Benzo(a)-pyrene monooxigenase induction in marine fish - molecular response to oil pollution. Report of ACMRR/IABO working party on biological effects of pollutants, FAO Fish. Rep., Doc. No.21, FAO-Rome, p. 187.

44. *Kurelec, B., Rijavec, M., Britvić, S., Matijašević, Z., Müller, W.E.G., and Zahn, R.K.* (1977) The detection of mutagenic and/or carcinogenic substances in seawater using the combination of BPMO induction in fish and the Salmonella test. Thalassia Jugosl. 13, 431-432.

45. *Kurelec, B., Rijavec, M., Britvić, S., Müller, W.E.G., and Zahn, R.K.* (1977) Phytoplancton: Presence of Ó-glutamyl cycle enzymes. Comp. Biochem. Physiol. 56B, 415-419.

46. *Kurelec, B., Zahn, R.K., Britvić, S., Rijavec, M., and Müller, W.E.G.* (1977) Benzopyrene hydroxylase induction: Molecular response to oil pollution. Mar. Biol. 44, 211-216.

47. *Kurelec, B., Rijavec, M., Kveder, S., Zahn, R.K., Britvić, S., and Müller, W.E.G.* (1977) Dissolved free amino acids in the waters of the Northern Adriatics. Thalassia Jugosl. 13, 69-77.

48. *Kurelec, B., Rijavec, M., Müller, W.E.G., Britvić, S., and Zahn, R.K.* (1977) Presence of Ó-glutamyl cycle in the sponge. Rapp. Comm. Int. Mer Medit. 24, 67-69.

49. *Kurelec, B., Rijavec, M., Zahn, R.K., Kveder, S., Müller, W.E.G., Britvić, S., and Mandić, M.* (1977) Dissolved free amino acids in Northern Adriatic waters. Rapp. Comm. Int. Mer Medit. 24, 63-65.

50. *Müller, W.E.G., Arendes, J., Kurelec, B., Zahn R.K., Müller, I.* (1977) Species-specific aggregation factor in sponges. Sialyltransferase aassociated with aggregation factor. J. Biol. Chem. 252, 3836-3842.

51. *Zahn, R.K., Müller, W.E.G., und Kurelec, B.* (1977) Zur Einwirkung Mariner Pollution auf die Programmierte Synthese unter besonderer Berücksichtung der Detergentien. In: Daten und Dokumenten zum Umweltschutz, ed. Documentationstelle der Universität Hochheim, Heft 21, 67-78.

52. *Zahn, R.K., Zahn, G., Müller, W.E.G., Müller, I., Beyer, R., Müller-Berger, U., Kurelec, B., Rijavec, M., and Britvić, S.* (1977) Consequence of detergent pollution of the sea: Effects on regenerating sponge cubes of Geodia cydonium. Sci. Total Environ. 8, 109-151.

53. *Müller, W.E.G., Zahn, R.K., Kurelec, B., Uhlenbruck, G., Vaith, P., and Müller, I.* (1978) Aggregation of sponge cells. XVIII. Glycosyltrensferases associated with the aggregation factor. Hoppe-Seyler's Z. Physiol. Chem. 359, 529-537.

54. *Müller, W.E.G., Zahn, R.K., Kurelec, B., and Müller, I.* (1978) Aggregation of sponge cells. XIV. Possible substitution of calcium ions by polycations. Exptl. Cell. Res. 113, 409-414.

55. *Müller, W.E.G., Zahn, R.K., Kurelec, B., and Müller, I.* (1978) Species - specific aggregation factor in sponges. VIII. Nature and alteration of cell surface charge. Wilhelm Roux' Archives 184, 29-40.

56. *Müller, W.E.G., Zahn, R.K., Kurelec, B., and Müller, I.* (1978) Species - specific aggregation factor in sponged-transfer of species-specific aggregation receptor from Suberites dumuncula to cells from Geodia cydonium. Differentiation 10, 55-60.

57. *Müller, W.E.G., Müller, I., Pondeljak, V., Kurelec, B., and Zahn, R.K.* (1978) Species-specific aggregation factor in sponges, isolation, purification and characterisation of the aggregation factor from Suberites dumuncula. Differentiation 10, 45-53.

58. *Zahn, R.K., Zahn, G., Müller, W.E.G., Beyer, R., Müller-Berger, U., Müller, I., Kurelec, B., Rijavec, M., and Britvić, S.* (1978) Probing the biological effects of low level detergent pollution. Thalassia Jugosl. 14, (1/2), 237-254.

59. *Kurelec, B., Matijašević, Z., Rijavec, M., Alačević, M., Britvić, S., Müller, W.E.G., and Zahn, R.K.* (1979) Induction of benzo(a)pyrene monooxigenase in fish and the Salmonella test as a tool for detecting mutagenic/carcinogenic xenobiotics in the aquatic environment. Bull. Environ. Contam. Toxicol. 21, 799-807.

60. *Müller, W.E.G., Kurelec, B., Zahn, R.K., Müller, I., Vaith, P., and Uhlenbruck, G.* (1979) Function of a lectin in its homologous biological system. J. Biol. Chem. 254, 7479-7481.

61. *Müller, W.E.G., Zahn, R.K., Rijavec, M., Britvić, S., Kurelec, B., and Müller, I.* (1979) Aggregation of sponge cells: The aggregation factor as a tool to establish species. Biochem. Systematic and Ecology 7, 49-55.

62. *Müller, W.E.G., Zahn, R.K., Kurelec, B., Müller, I., Uhlenbruck, G., and Vaith, P.* (1979) Aggregation of sponge cells. A novel mechanism of controlled intercellular adhesion, basing of the interrelation between glycosyltransferases and glycosydases. J. Biol. Chem. 254, 1280-1287.

63. *Müller, W.E.G., Kurelec, B., Zahn, R.K., Müller, I., Vaith, P., and Uhlenbruck, G.* (1979) Aggregation of sponge cells isolation and characterisation of an inhibitor of aggragation receptor from the cell surface. Eur. J. Biochem. 97, 585-591.

64. *Müller, W.E.G., Zahn, R.K., Arendes, J., Kurelec, B., Steffen, R., and Müller, I.* (1979) Aggregation of sponge cells. XX. Self-aggregation of the circular proteid particle. Biochim. Biophys. Acta 555, 363-367.

65. *Kezić, N., Rijavec, M., and Kurelec, B.* (1980) Frequency of neoplasia in fish from the river Sava. Mutat. Res. 74, 195.

66. *Kurelec, B., Zahn, R.K., Rijavec, M., Müller, W.E.G., Britvić, S., Zahn, G., Protić, M., Müller, I., Kezić, N. and Batel, R.* (1980) Induction and inhibition of benzo(a)pyrene mono-oxygenase in fish - molecular response to pollution of aquatic environment. Proceedings of the German Yugoslav Symposium on Environmental Chemistry in Air and Water, Rovinj, May 12-14, 1980. Kernforschungszentrum Karlsruhe GmbH, 1980, pp. 36-37.

67. *Križanac, V., Teskeredžić, Z., and Kurelec, B.* (1980) Frequency of neoplasia in trout and carp population in farms of Croatia and Slovenia. Mutat. Res. 74, 169-170

68. *Kurelec, B., Britvić, S., Protić, M., Kezić, N., and Rijavec, M.* (1980) Early toxic effects in fish and the mutagenic potential of Sava River waters. Mutat. Res. 74, 229.

69. *Müller, W.E.G., Zahn, R.K., Bernd, A., Kurelec, B., Müller, I., Vaith, P., and Uhlenbruck, G.* (1980) Agraggation of sponge cells: 23. Interaction of Geodia lectin with Tethya cell-surface glycoprotein. Int. J. Biol. Macromol. 2, 302-305.

70. *Müller, W.E.G., Zahn, R.K., Kurelec, B., Müller, I., Vaith, P., and Uhlenbruck, G.* (1980) Aggregation of sponge cells: 22. Species-specific reactivity of lectin from sponge Geodia cydonium. Int. J. Biol. Macromol. 2, 297-301.

71. *Teskeredžić, Z., Britvić, S., Batel, R., Teskeredžić, E., and Kurelec, B.* (1980) Epidemiological study of the frequency of neoplasia in fish from the east coast of the Adriatic sea. Mutat. Res. 74, 198-199.

72. *Conrad, J., Zahn, R.K., Kurelec, B., Uhlenbruck, G., and Müller, W.E.G.* (1981) Aggregation of sponge cells: Immunological characterization of the species-species Geodia aggregation factor. J. Supramolecular Structure and Cellular Biochem. 17, 1-9.

73. *Kurelec, B.* (1981) Biological effects of thermal pollution - A tip of the iceberg. GESAMP, Report and Studies 14, Annex 9, WHO, Geneva.

74. *Kurelec, B.* (1981) Kancerogene tvari u vodi, opasnost za ribe i ljude. Priroda 3, 71-75.

75. Kurelec, B., Protić, M., Britvić, S., Kezić, N., Rijavec, M., and Zahn, R.K. (1981) Toxic effects in fish and mutagenic capacity of water from the Sava river. Bull. Environ. Contam. Toxicol. 26, 179-187.

76. *Müller, W.E.G., Zahn, R.K., Müller, I., Kurelec, B., Uhlenbruck, G., and Vaith, P.* (1981) Cell aggregation of the marine sponge Geodia cydonium. Identification of lectin-producing cells. Eur. J. Cell Biol. 24, 28-35.

77. *Müller, W.E.G., Bernd, A., Zahn, R.K., Kurelec, B., Dewies, K., Müller, I., and Uhlenbruck, G.* (1981) Xenograft rejection in marine sponges. Isolation and purification of an inhibitory aggregation factor from Geodia cydonium. Eur. J. Biochem. 116, 573-579.

78. *Müller, W.E.G., Zahn, R.K., Kurelec, B., Lucu, Č., Müller, I., and Uhlenbruck, G.* (1981) Lectin, a possible basis for symbiosis between bacteria and sponges. J. Bacteriol. 145, 548-558.

79. *Rijavec, M., Britvić, S., Protić, M., and Kurelec, B.* (1981) Detection of the presence of xenobiotics in seawater samples from Rijeka Bay applying benzo(a)pyrene monooxigenase induction. Thalassia Jugosl. 17, 245-250.

80. *Rijavec, M., Protić, M., and Kurelec, B.* (1981) A study of some biological (sublethal and mutagenic) effects of the waste waters of the INA Petrol Rafinery Rijeka. Thalassia Jugosl. 17, 237-243.

81. *Zahn, R.K., Müller, W.E.G., Kurelec, B., Rijavec, M., and Michaelis, M.L.* (1981) Single strand nicks: Cause or consequence of environmental damage or ageing. Res. Molec. Biol. 10, 7-20.

82. *Zahn, R.K., Zahn, G., Müller, W.E.G., Kurelec, B., Rijavec, M., Batel, R., and Given, R.* (1981) Assesing consequences of marine pollution by hydrocarbons using sponges as model organisms. Sci. Total Environ. 20, 147-169.

83. *Brnek-Kostić, A., und Kurelec, B.* (1982) Erfassung neuer Guteparameter in den Gewässern der Soz. Republik Kroatien, Jugoslawien. 23. Arbeitstagung der Internationalen Arbeitsgemeinschafte Donauforschung (IAD) der SIL, Wien, Wissenschaftliche Kurzreferate, 150-151.

84. *Kurelec, B.* (1982) Biološki efekti nekih najznačajnijih zagađivala morskog sistema. Pomorski zbornik 20, 521-534.

85. *Kurelec, B., Protić, M., Rijavec, M., Britvić, S., Müller, W.E.G., Zahn, R.K.* (1982) Induction of benzo(a)pyrene monooxigenase in fish after i/p application of water hexane extract - prescreen tool for detection of xenobiotics. In: Carcinogenic polynuclear aromatic hydrocarbons in the marine environment, Eds: N.L.Richards and B.L.Jackson, EPA 600/9-82-013, Gulf Breeze, p.p. 124-136.

86. *Müller, W.E.G., Zahn, R.K., Conrad, J., Kurelec, B., and Uhlenbruck, G.* (1982) Aggregation of sponge cells: stage dependent, distinct adhesion mechanisms in Cliona celata. Eur. J. Cell Biol. 28, 243-250.

87. *Müller, W.E.G., Müller, I., Zahn, R.K., Kurelec, B., Batel, R., and Uhlenbruck, G.* (1982) Systematic value of histocompatibility reactions in the establishment of closely related sponge species. Description of Geodia rovinjensis n. sp. Senckenbergiana biol. 63, 303-313.

88. *Pravdić, V., and Kurelec, B.* (1982) An approach to the selection of scientific criteria for the siting of thermal effluents in the marine environment. VI. Journees Etud Pollutions, Cannes, CIESM, 515-518.

89. *Rijavec, M., Kurelec, B., Dobričević, Z., and Zahn, R.K.* (1982) Količina ATP u mikroflori pročiščivača kao mjerilo za procjenu utjecaja specifičnih otpadnih voda. Vodoprivreda 14, 135-138.

90. *Zahn, R.K., Kurelec, B., Zahn-Daimler, G., Müller, W.E.G., Rijavec, M., Batel, R., Given, R., Pondeljak, V., and Beyer, R.* (1982) The effect of benzo(a)pyrene on sponges as model organisms in marine pollution. Chem. Biol. Interactions 39, 205-220.

91. *Al-Sabti, K., Kurelec, K., and Fijan, N.* (1983) Cytological studies of some Cyprinidae in Croatia. Vet. Arhiv 53, 65-70.

92. *Al-Sabti,K., Fijan, N., and Kurelec, B.* (1983) Simple and fast method for the preparation of chromosomes in fish. Vet. Arhiv 53, 283-290.

93. *Al-Sabti, K., Kurelec, B., and Fijan, N.* (1983) Spontaneus triploidy and tetraploidy in the common carp (Cyprinus carpio L.) Vet. Arhiv 53, 217-223.

94. *Batel, R., Bihari, N., Kurelec, B., Müller, W.E.G., and Zahn, R.K.* (1983) Presence of mixed function oxydases in some marine invertebrates. Thalassia Jugosl. 19, 23-29.

95. *Britvić, S., Protić, M., Rijavec, M., Zahn, R.K., and Kurelec, B.* (1983) Detection of xenobiotics in the Northern Adriatic waters by estimating their biochemical effects in fish. Rapp. Comm. Int. Mer Medit. 28, 137-138.

96. *Höhn-Bentz, J., Kurelec, B., and Zahn, R.K.* (1983) Fast, ephemeral DNA damage upon BaP injection. Sci. Total Environ. 32, 13-27.

97. *Kezić, N., Britvić, S., Protić, M., Simmons, J.E., Rijavec, M., Zahn, R.K. and Kurelec, B.* (1983) Activity of benzo(a)pyrene monooxygenase in fish from Sava river: Correlation with pollution. Sci. Total Environ. 27, 59-69.

98. *Kurelec, B., Britvić, S., Rijavec, M., Sieben, B., Bihari, N., Müller, W.E.G., and Zahn, R.K.* (1983) Sea water chlorination: Creation of mutagenic by-products. Rapp. Comm. Int. Mer Medit. 28, 135-136.

99. *Kurelec, B., Al-Sabti, K., and Zahn, R.K.* (1984) Quantification of criteria for genotoxic risk assessment in the marine environment: Attempt to define threshold quality of water. VII. Journees Etud Pollutions Lucerne, CIESM, 707-712.

100. *Zahn, R.K., Kurelec, B., Zahn-Daimler, G., Rijavec, M., Müller, W.E.G., Batel, R., and Bihari, N.* (1983) Impact of polycyclic aromatic hydrocarbon (PAH) pollution on cellular and molecular biology of marine organisms. Thallasia Jugosl. 19, 397-404.

101. *Müller, W.E.G., Zahn, R.K., Rijavec, M., Batel, R., Kurelec, B., Dorn, A., and Müller, I.* (1983) Sponge cell aggregation:Biochemical characterisation of the system. Thallasia Jugosl. 19, 285-296.

102. *Müller, W.E.G., Zahn, R.K., Zahn, G., Rijavec, M., Batel, R., Kurelec, B., Müller, I.* (1983) Description of Geodia roviniensis n. sp. on the basis of imunological and morphological criteria. Thallasia Jugosl. 19, 279-283.

103. *Rijavec, M., Protić, M., Müller, W.E.G., Zahn, R.K., Bihari, N., and Kurelec, B.* (1983) Specific microflora from the seawater polluted with polycyclic aromatic hydrocarbons. Thallasia Jugosl. 19, 319-326.

104. *Sieben, B., Bihari, N., Kurelec, B., and Zahn, R. K.* (1985) Policyclic aromatic hydrocarbon levels in waters and sponges of the Northern Adriatic. Thalassia Jugosl. 21/22, 113-116.

105. *Sieben, B., Bihari, N., Kurelec, B., Zahn, R.K.* (1983) Polycyclic aromatic hydrocarbon levels in waters and sponges of the Northern Adriatic. Rapp. Comm. Int. Mer Medit. 28, 133-134.

106. *Sabljić-Protić, M., and Kurelec, B.* (1983) High mutagenic potency of several polycyclic aromatic hydrocarbons induced by liver postmitochondrial fractions from control and xenobiotic treated immature carp. Mutat. Res. 118, 177-189.

107. *Müller, W.E.G., Conrad, J., Schröder, C., Zahn, R.K., Kurelec, B., Dreesbach, K., and Uhlenbruck, G.* (1983) Characterisation of the trimeric, self-recognizing Geodia cydonium lectin I. Eur. J. Biochem. 133, 263-267.

108. *Kurelec, B., Kezić, N., Singh, H., and Zahn, R.K.* (1984) Mixed function oxidases in fish: Their role in adaptation to pollution. Mar. Environ. Res. 14, 409-411.

109. *Kurelec, B., Kezić, N., Singh, H., and Zahn, R. K.* (1984) Mixed function oxidases in fish: Their role in adaptation to pollution. In: Responses of Marine Organisms to Pollutants, Eds.: J. J. Stegeman and G. W. Heath, Elsevier Applied Science Publisher, London and New York, 1984, pp. 409-411.

110. *Zahn, R.K., Höhn-Benz, J., and Kurelec, B.* (1984) Fast, transcient DNA damage by benzo(a)pyrene. Mar. Environ. Res. 14, 538-539.

111. *Zahn, R.K., Zahn-Daimler, G., Müller, W.E.G., Michaelis, M., Kurelec, B., Rijavec, M., Batel, R., and Bihari, N.* (1983) DNA damage by PAH and repair in a marine sponge. Sci.Total Environ. 26, 137-156.

112. *Bihari, N., Batel, R., Kurelec, B., Zahn, R.K.* (1984) Tissue distribution, seasonal variation and induction of benzo(a)pyrene monooxygenase activity in the crab Maja crispata. Sci. Total Environ. 35,41-51.

113. *Müller, W.E.G., Zahn, R.K., Kurelec, B., and Müller, I.* (1984) A catalogue of the sponges near Rovinj. Thallasia Jugosl. 20, 13-23.

114. *Al-Sabti, K., Fijan, N., and Kurelec, B.* (1984) Frequency of chromosomal aberrations in the rainbow trout (Salmo gairdnieri, Rich.) exposed to detergent and benzene. Vet. Arhiv 54, 83-89.

115. *Britvić, S., and Kurelec, B.* (1985) The bioactivation of premutagens in the sea urchin Echinus melo measured by the Salmonella-microsomal assay. Rapp. Comm. Int. Mer Medit. 29, 103-104.

116. *Schröder, H.C., Nitzgen, D.E., Bernd, A., Kurelec, B., Zahn, R.K., Gramzow, M., Müller, W.E.G.* (1984) Inhibition of nuclear envelope nucleoside triphosphatase-regulated nucleocytoplasmic messenger RNA translocation by 9-beta-D-arabino-furanosyladenin 5-triphosphate in rodent cells. Cancer Res. 44, 3812-3819.

117. *Kurelec, B.* (1985) Problemi procjene opasnosti od organskih zagađivala u Jadranu. Radovi Znanstvenog savjeta za pomorstvo JAZU, Serija B, Knjiga 1, str. 115-131, JAZU, Zagreb, 1985.

118. *Al-Sabti, K., and Kurelec, B.* (1985) Chromosomal aberrations in onion (Allium cepa) induced by water chlorination by-products. Bull. Environ. Contam. Toxicol. 34, 80-88.

119. *Kurelec, B.* (1985) Exclusive activation of aromatic amines in the marine mussel (Mytilus edulis) by FAD-containing monooxygenase. Biochem. Biophys. Res. Comm. 127, 773-778.

120. *Müller, W.E.G., Conrad, J., Zahn, R.K., Gramzow, M., Kurelec, B., and Uhlenbruck, G.* (1985) Identification and isolation of the primary aggregation factor from cell membrane of the sponge Geodia cydonium. Mol. Cell Biochem. 67, 55-64.

121. *Conrad, J., Zahn, R.K., Uhlenbruck, G., Kurelec, B., Jeričević, B. and Müller, W.E.G.* (1984) The role of lectin I and of glycoconjugates in recognition of cells from the siliceous sponge Geodia cydonium. Biol. Cell 51, 287-294.

122. *Singh, H., Pavgi-Singh, S., Kezić, N., and Kurelec, B.* (1985) Xenobiotic and endo-biotic induction of mixed function monooxygenase in carp. Sci. Total Environ. 44, 123-133.

123. *Batel, R., Bihari, N., Kurelec, B., and Zahn, R.K.* (1985) DNA damage by benzo-(a)pyrene in the liver of mosquito fish (Gambusia affinis). Sci. Total Environ. 41, 257-283.

124. *Kurelec, B., Zahn, R.K., Gašić, M.J., Britvić, S., Lucić, D., and Müller, W.E.G.* (1985) Antimutagenic activity of the novel antileukemic agents, avarone and avarol. Mutat. Res. 144, 63-66.

125. *Müller, W.E.G., Maidhof, A., Zahn, R.K., Schröder, H.C., Gašić, M.J., Heidemann, D., Bernd, A., Kurelec, B., Eich, E., and Seibert, G.* (1985) Potent antileukemic activity of the novel cytostatic agent avarone and its analogues in vivo. Cancer Res. 45, 4822-4826.

126. *Al-Sabti, K., and Kurelec, B.* (1985) Induction of chromosomal aberrations in the mussel Mytilus galloprovincialis watch. Bull. Environ. Contam. Toxicol. 35, 660-665.

127. *Kurelec, B., Britvić, S., and Zahn, R.K.* (1985) The activation of aromatic amines in some marine invertebrates. Mar. Environ. Res. 17, 141-144.

128. *Zahn, R.K., Stüber, J.J., Reitz, M., Emmig, C., Jannek, U., and Kurelec, B.* (1985) The interplay between mixed function oxygenases and DNA alteration under PAH pollution. Mar. Environ. Res. 17, 317-319.

129. *Diehl-Seifert, B., Kurelec, B., Zahn, R.K., Dorn, A., Jeričević, B., Uhlenbruck, G., Müller, W.E.G.* (1985) Attachment of sponge cells to collagen substrata: effect of a collagen assembly factor. J. Cell Sci. 79, 271-285.

130. *Kurelec, B.* (1984) Biochemical, mutagenic/carcinogenic and clastogenic effects of treated cooling waters. Thalassia Jugoslavica 20, 127-135.

131. *Kurelec, B., Britvić, S., Krča, S., and Zahn, R.K.* (1986) Metabolic fate of aromatic amines in the mussel Mytilus galloprovincialis. Mar. Biol. 91, 523-527.

132. *Britvić, S. and Kurelec, B.* (1986) Selective activation of carcinogenic aromatic amines to bacterial mutagens in the marine mussel Mytilus galloprovincialis. Comp. Biochem. Physiol. 85C, 111-114.

133. *Kurelec, B.* (1986) Kancerogene tvari u čovjekovoj okolini. Medicinska enciklopedija, II-dopunski svezak, JLZ- Zagreb, 143-145.

134. *Krča, S. and Kurelec, B.* (1986) Bioactivation of proximate carcinogen N-hydroxy-acetylaminofluorene in the marine mussel Mytilus galloprovincialis. Rapp. Comm. Int. Mer Medit., 30, 36.

135. *Kurelec, B., Britvić, S., Krča, S., Müller, W.E.G., and Zahn, R.K.* (1987) Metabolism of some carcinogenic aromatic amines in four species of marine sponges. Comp. Biochem. Physiol. 86B, 17-22.

136. *Zahn, R.K. and Kurelec, B.* (1984) Genotoxic risk assessement. FAO Fish. Rep., (334) Suppl.: 162-164.

137. *Kurelec, B.* (1987) Comment on: D.R. Livingstone's critique (Mar.Biol. 94, 319-320, 1987) of the paper "Metabolic fate of aromatic amines in the mussel Mytilus galloprovincialis". Mar. Biol. 94, 321-322.

138. *Müller, W.E.G., Rottmann, M., Diehl-Seifert, B., Kurelec, B., Uhlenbruck, G., and Schröder, H.C.* (1987) Role of the aggregation factor in the regulation of phosphoinositide metabolism in sponges - Possible consequences on calcium efflux and on mitogenesis. J. Biol. Chem. 262, 9850-9858.

139. *Kurelec, B. and Krča, S.* (1987) Metabolic activation of 2-aminofluorene, 2-acetylaminofluorene and N-hydroxy-acetylaminofluorene to bacterial mutagens with mussel (Mytilus galloprovincialis) and carp (Cyprinus carpio) subcellular preparations. Comp. Biochem. Physiol. 88C, 171-177.

140. *Kurelec, B.* (1987) Naša iskustva sa detekcijom mutagenih tvari u površinskoj, podzemnoj, morskoj i vodi za piće. Hrana i ishrana 4, 229-232.

141. *Kurelec, B., Chacko, M., and Gupta, R.C.* (1987) Postlabeling analysis of carcinogen-DNA adducts in mussel Mytilus galloprovincialis. Mar. Environ. Res. 24, 317-320.

142. *Bernd, A., Holzmann, H., Marsch, W.Ch., Kurelec, B., Britvić, S. and Müller, W.E.G.* (1987) Antimutagenic potency of the cytotoxic and antipsoriatic compound Anthralin (Cygnolin). Pharmacol. Res. Comm. 19, 367-378.

143. *Gramzow, M., Zimmerman, H., Janetzko, A., Dorn, A., Kurelec, B., Schröder, H.C., Müller, W.E.G* (1988) Control of aggregation factor-aggregation receptor interaction in sponges by protein kinase C. Exp. Cell. Res. 179, 243-252.

144. *Rottman, M., Schröder, H.C., Gramzow, M., Renneisen, K., Kurelec, B., Dorn, A., Friese, U. and Müller, W.E.G.* (1987) Specific phosphorilation of proteins in pore complex-laminae from the sponge Geodia cydonium by the homologous aggregation factor and phorbol ester. Role of protein kinase C in the phosphorilation of DNA topoisomerase II. EMBO J. 6, 3939-3944.

145. *Schröder, H.C., Kuchino, Y., Gramzow, M., Kurelec, B., Friese, U., Uhlenbruck, G., Müller, W.E.G.* (1988) Induction of ras gene expression by homologous aggregation factor in cells from the sponge Geodia cydonium. J. Biol. Chem. 263, 16334-16340.

146. *Kurelec, B., and Krča, S.* (1989) Glucuronides in mussel Mytilus galloprovincialis as a possible biomonitor of environmental carcinogens. Comp. Biochem. Physiol. 92C, 371-376.

147. *Schröder, H.C. Amberger, V., Renneisen, K., Bachmann, M., Kurelec, B., Uhlenbruck, G. and Müller, W.E.G.* (1989) Protein kinase C phosphorylates the sponge aggregation receptor after its binding to the homologous aggregation factor. Eur. J. Cell Biol. 48, 142-149.

148. *Bernd, von A., Holzmann, H., Kurelec, B., Britvić, S. und Müller, W.E G.* (1989) Zur cytotoxischen und antimutagenen Potenz von Dithranol. Dermatol. Mon.schr. 175, 261-267.

149. *Gramzow, M., Schröder, H.C., Fritsche, U., Kurelec, B., Robitzky, A., Zimmermann, H., Friese, K., Kreuter, M.H. and Müller, W.E.G.* (1989) Role of phospholipase A2 in the stimulation of sponge cell proliferation by homologous lectin. Cell 60, 939-948.

150. *Kurelec, B., Garg, A., Krča, S., Chacko, M. and Gupta, R.C.* (1989) Natural environment surpasses polluted environment in inducing DNA damage in fish. Carcinogenesis 10, 1337-1339.

151. *Kurelec, B. and Pivčević, B.* (1989) Distinct glutathione-dependent enzyme activities and a verapamil-sensitive binding of xenobiotics in a fresh-water mussel Anodonta cygnea. Biochem. Biophys. Res. Comm. 164, 934-960.

152. *Kurelec, B., Garg, A., Krča, S., and Gupta, R.C.* (1990) DNA adducts as biomarkers in genotoxic risk assessment in the aquatic environment. Mar. Environ. Res. 28, 317-321.

153. *Schröder, H.C., Kljajić, Z., Weiler, B.E., Gašić, M., Uhlenbruck, G., Kurelec, B. and Müller, W.E.G.* (1990) The galactose-specific lectin from the sponge Chondrilla nucula displays anti-human immunodeficiency virus activity in vitro via stimulation pf the (2,-5,) oligoadenylate metabolism. Antiviral Chemistry & Chemotherapy 1, 99-105.

154. *Kurelec, B., Chacko, M., and Gupta, R.C.* (1990) Postlabelling analysis of carcinogen-DNA adducts in mussel (Mytilus galloprovincialis). In: Carcinogenic, Mutagenic, and Teratogenic Marine Pollutants: Impact on Human Health and the Environment, Advances in Applied Biotechnology Series 5, 129-139. Gulf Publishing Company, Houston, 1990.

155. *Robitzki, A., Schröder, H. C., Ugarković, Đ., Kuchino, Y., Kurelec, B., Gamulin, V., and Müller, W.E.G.* (1990) Regulated expression and phosphorilation of the 23–26-kDa ras protein in the sponge Geodia cydonium. Eur. J. Biochem. 192, 499-506.

156. *Kurelec, B., Garg, A., Krča, S., and Gupta, R.C.* (1990) DNA adducts in marine mussel Mytilus galloprovincialis living in polluted and unpolluted environments. In Biomarkers of Environmental Contamination, Eds.: J. F. McCarthy and L. R. Shugart, Chapter 12, pp. 217-227, Lewis Publishers, Boca Raton, Florida, 1990.

157. *Ugarković, Đ., Kurelec, B., Krča, S., Batel, R., Robitzki, A., Müller, W.E.G., and Schröder, H.C.* (1990) Alterations in ras gene expression and intracellular distribution of protein kinase C in the sponge Geodia cydonium in response to marinepollution. Mar. Biol. 107, 191-197.

158. *Kurelec, B. and Pivčević, B.* (1991) Evidence for a multi-xenobiotic resistance mechanism in a mussel Mytilus galloprovincialis. Aquatic Toxicol. 19, 291-302.

159. *Kurelec, B., Krča, S., Garg, A., and Gupta, R.C.* (1991) The potential of carp to bioactivate benzo(a)pyrene to metabolites that bind to DNA. Cancer Lett. 57, 255-260.

160. *Ugarković, Đ., Kurelec, B., Müller, W.E G. and Schröder, H.C.* (1991) Inhibition of release of phospholipase A2 from sponge cells (Geodia cydonium) by detergent-polluted sea water. A sensitive tool to monitor marine pollution. Bull. Environ. Contam. Toxicol. 47, 751-757.

161. *Ugarković, Đ., Kurelec, B., Robitzki, A., Müller, W.E.G., and Schröder, H.C.* (1991) Inhibition of aggregation-factor-induced ras gene expression in the sponge Geodia cydonium by detergent-polluted seawater: a sensitive biological assay for low-level detergent pollution. Mar. Ecol. Prog. Ser. 71, 253-258.

162. *Kurelec, B. and Pivčević, B.* (1992) The multidrug resistance-like mechanism in a marine sponge Tethya aurantium. Mar. Environm. Res. 34, 249-253.

163. *Kurelec, B., Krča, S., Pivčević, B., Ugarković, Đ., Bachmann, M., Imsiecke, G. and Müller, W.E.G.* (1992) Expression of P-glycoprotein gene in marine sponges. Identification and characterisation of the 125 kDa drug binding glycoprotein. Carcinogenesis 13, 69-76.

164. *Kurelec, B., Garg, A., Krča, S., Britvić, S., Lucić, D., and Gupta, R.C.* (1992) DNA adducts in carp exposed to artificial Diesel 2-oil slicks. Eur. J. Pharmacol. 228, 51-56.

165. *Garg, A., Krča, S., Kurelec, B. and Gupta, R.C.* (1992) Endogenous DNA modifications in aquatic organisms and their probable biological significance. Comp. Biochem. Physiol. 102B, 825-832.

166. *Ulrich, M., Flemming, C., Bachmann, M., Kurelec, B. and Mueller* (1992) Determination of lectin-cell-binding parameters by a new agent agglutination technique. Biol. Chem. Hoppe-Seyler 373, 1105-1109.

167. *Kurelec, B.* (1992) The multixenobiotic resistance mechanism in aquatic organisms. Crit. Rev. Toxicol. 22, 23-43.

168. *Jahn, G., Jurkiewicz, E., Hunsmann, G., Kurelec, B., Daum, T., and Müller, W.E.G.* (1992) Resistance of molt-3 cells to daunomycin acquired after infection with the human immunodefiency virus-1. AIDS Forsch. 9, 461-463.

169. *Kurelec, B., and Plavšić* (1992) Lijekovi kao čimbenik zagađenja okoliša. Savjetovanje HAZU: Lijekovi u domovinskom ratu 1991/92, Zagreb, 5. veljače 1992., pp. 30-33, HAZU, Zagreb

170. *Pfeifer, K., Schröder, H. C., Rinkewich, B., Uhlenbruck, G., Hanisch, F.-G., Kurelec, B., Scholz, P., and Müller, W.E.G.* (1992) Immunological and biological identification of tumor necrosis-like factor in sponges: Endotoxin that mediates necrosis formation in xenografts. Cytokine 4, 161-169.

171. *Kurelec, B.* (1993) The genotoxic disease syndrome. Mar. Environm. Res. 35, 341-348.

172. *Britvić, S., Lucić, D., and Kurelec, B.* (1993) Bile fluorescence and some early biological effects in fish as indicators of pollution by xenobiotics. Environ. Toxicol. Chem. 12, 765-773.

173. *Kurelec, B., and Gupta, R.C.* (1993) Biomonitoring of aquatic systems. In: Postlabelling Methods for Detection of DNA Adducts, Eds.: D. H. Phillips, M. Castegnaro & H. Bartsch, pp. 365-372. Lyon, International Agency for Research on Cancer, 1993.

174. *Kurelec, B.* (1992) Multixenobiotic resistance mechanism in aquatic organisms: Reflections on ecotoxicology. Table Ronde Roussel UCLAF No. 74: Effects of Pesticides on Aquatic Organisms, pp. 23-25, Paris, December 3-4, 1992, Institut Scientifique Roussel, Romain-ville, France.

175. *Kurelec, B.* (1993) Ekološki rizik, fobije i masmediji. Socijalna ekologija 2, 481-489.

176. *Kurelec, B.* (1993) Zablude intuitivne procjene ekološkog rizika. Encycl. mod. 41, 62-67.

177. *Koeman, J. H., Köhler-Günther, A., Kurelec, B., Riviere, J.L., Versteeg, D., and Walker, C.H.* (1993) Applications and objectives of biomarker research. In: Biomarkers, Eds.: D.B. Peakall and L.R. Shugart, NATO Series H: Cell Biology, Vol. 68, pp.:1-13, Springer-Verlag, Berlin-Heidelberg.

178. *Moore, M. N., Chipman, J. K., den Besten, P. J., Kurelec B., and Bergman, A.* (1993) Necessary developments in marine ecotoxicology: the future potential of the biomarker approach. Sci. Total Environ., Supplement 1993. Part 2, 1767-1770.

179. *Kurelec, B.* (1994) Inhibition of multixenobiotic defence mechanism in aquatic organisms: Ecotoxic consequences. In "Use of Aquatic Invertebrates as Tools for Monitoring of Environmental Hazards", Ed.: W.E.G. Müller, pp. 139-148. Gustav Fischer Verlag, Stutgart-Jena-New York.

180. *Pivčević, B., Müller, W.E.G., and Kurelec, B.* (1994) Measurement of water pollutants with multixenobiotic resistance inhibiting properties. In "Use of Aquatic Invertebrates as Tools for Monitoring of Environmental Hazards", Ed.: W.E.G. Müller, pp. 129-137. Gustav Fischer Verlag, Stutgart-Jena-New York.

181. *Waldmann, P., Pivčević, B., Müller, W.E.G., Zahn, R. K., and Kurelec, B.* (1994) Increased genotoxicity of aminoanthracene by modulators of multixenobiotic resistance mechanism: Studies with the fresh water clam Corbicula fluminea. In: "Use of Aquatic Invertebrates as Tools for Monitoring of Environmental Hazards", Ed.: W. E. G. Müller, pp. 149-163. Gustav Fischer Verlag, Stutgart-Jena-New York.

182. *Zahn, R. K., Batel, R., Bihari, N., Hartmann, R., Heil, J., Kurelec, B., Müller, I., Müller, W.E.G., Reifferscheid, G., Vukmirović, M., Waldmann, P., and Zahn-Daimler, G.* (1994) Introduced techniques to evaluate genotoxicity. In "Use of Aquatic Invertebrates as Tools for Monitoring of Environmental Hazards", Ed.: W. E. G. Müller, pp. 49-61. Gustav Fisher Verlag, Stutgart-Jena-New York.

183. *Kurelec, B., Pivčević, B., and Müller, W.E.G.* (1995) Determination of pollutants with multixenobiotic-resistance inhibiting properties. Mar. Environ. Res. 39, 261-265.

184. *Waldmann, P. Pivčević, B., Müller, W.E.G., Zahn, R.K., and Kurelec, B.* (1995). Increased genotoxicity of acetylaminofluorene by modulators of multixenobiotic resistance mechanism: studies with the fresh water clam Corbicula fluminea. Mutat. Res. 342, 113-123.

185. *Kurelec, B.* (1995) Reversion of multixenobiotic resistance mechanism in gills of a marine mussel Mytilus galloprovincialis by model- and environmental-inhibitors of P170-glycoprotein. Aquatic Toxicol. 33, 93-103.

186. *Kurelec, B., Lucić, D., Pivčević, B., and Krča, S.* (1995) Induction and reversion of multixenobiotic resistance in a marine snail Monodonta turbinata. Mar. Biol. 123, 305-312.

187. *Kurelec, B.* (1995) Inhibition of multixenobiotic resistance mechanism in aquatic organisms: Ecotoxic consequences. Sci. Total Environ. 171, 197-204.

188. *Mueller, W.E.G., Koziol, C., Kurelec, B., Dapper, J., Batel, R., and Rinkevich, B.* (1995) Combinatory effects of temperature stress and nonionic organic pollutants on stress protein (HSP70) gene expression in the freshwater sponge Ephydatia fluviatilis. Environ. Toxicol. Chem. 14, 1203-1208.

189. *De Flora, S., Bagnasco, M., Bennicelli, C., Camoirano, A., Bojnemirski, A., and Kurelec, B.* (1995) Biotransformation of genotoxic agents in marine sponges. Mechanisms and modulation. Mutagenesis 10, 357-364.

190. *Kurelec, B., Krča, S. and Lucić, D.* (1996) Expression of multixenobiotic resistance mechanism in a marine mussel Mytilus galloprovincialisas as a biomarker of exposure to polluted environment. Comp. Biochem. Physiol. 113C, 283-289.

191. *Kurelec, B., Waldmann, P. and Zahn, R.K.* (1996) The modulation of protective effects of the multixenobiotic resistance mechanism in a clam Corbicula fluvinea. Mar. Environ. Res. 42, 383-387.

192. *Mueller, W.E.G., Stefen, R., Rinkevich, B., Matranga, V. and Kurelec, B.* (1996) Multixenobiotic resistance mechanism in plasma membranes of cells from the marine sponge Suberites domuncula: Its potential application in assessment of environmental pollution. Mar. Biol. 125, 165-170.

193. *Kurelec, B., Smital, T. i Pivčević. B.* (1996) Iscrpak iz tropske alge unijete u Sredozemlje, Caulerpa taxifolia, preobraća istovremenu otpornost na lijekove (MDR) u kulturi stanica. Državni zavod za patente, Republika Hrvatska, Klasifikacijski broj: 381-03/96-01/0184; Urudžbeni broj: 559-03-96-01; Primljeno: 29. 01. 1996., 13,00 sati.

194. *Zahn, R.K., Kurelec, B., Batel, R., Bihari, N., Heil, J., Mueller, W.E.G., Reifferscheid, G., Stüber, J.J., Waldmann, P., and Zahn, G.* (1996) Field investigations of MFO-induction in freshwater and marine fishes: Beginnings of MFO-measurements and evaluation of acquired data. Zeitschrift f. Angewandte Zoologie 81, 11-41.

195. *Kurelec, B., Krča, S., and Lucić, D.* (1996) Ecological study of gas fields in the Northern Adriatic. 13. Toxicological tests on organisms. Acta Adriat. 37, 195-198.

196. *Smital, T., Pivčević, B. and Kurelec B.* (1996) Reversal of multidrug resistance by extract from a marine algae Caulerpa taxifolia. Period. Biol. 98, 165-171.

197. *Smital, T., and Kurelec, B.* (1997) The concentrations of inhibitors of multixenobiotic resistance mechanism in natural waters: The direct in vivo demonstration of their effect. Environ. Toxicol. Chem. 16, 2164-2170.

198. *Kurelec, B.* (1996) Monitoring strategies for toxicity assessment using biomarkers. In: Alternative Bioassay Techniques Suitable for Monitoring Toxicity in the Black Sea Region, pp. 100-109, Ed.: N. H. Ince. Proc. 1st Int. Workshop, 26-28 April 1995, Istanbul, Turkey. Bogazici University Printhouse, Istanbul,1996.

199. *Kurelec, B.* (1997) A new type of hazardous chemicals: The chemosensitizers of multixenobiotic resistance. Environ. Health Persp. 105, 855-860.

200. *Britvić, S., Krča, S., Kurelec, B., Lucić, D., Pivčević, B., and Smital, T.* (1996) Functional and protein expression of multixenobiotic resistance mechanism in a marine mussel as a biomarker of exposure to polluted environments. MAP Technical Reports Series No. 103, UNEP, Athens, pp. 29-41.

201. *Smital. T. and Kurelec B.* (1997) The chemosensitizers of multixenobiotic resistance mechanism in aquatic invertebrates; A new class of pollutants. Mutat. Res. 399, 43-53.

202. *Kurelec B.* (1997) Pumping-out: The first-line defence to water pollution in aquatic organisms. Toxicol. Ecotoxicol. News 4,104-109.

203. *Kurelec, B., Britvić, S., Pivčević, B., and Smital, T.* (1998) Fragility of multixenobiotic resistance in aquatic organisms enhances the complexity of risk assessment. Mar. Environ. Res. 46(1-5):415-419.

204. *Smital, T., and Kurelec, B.* (1998) The activity of multixenobiotic resistance mechanism determined by rhodamine B - efflux method as a biomarker of exposure. Mar. Environ. Res. 46(1-5):443-447.

205. *Kurelec, B., Smital, T., Britvić, S., Pivčević, B., Krča, S., Jelaska, D., Balen, S., Sauerborn, R., and Mustajbegović, S.* (1997) Multixenobiotic resistance mechanism in aquatic organisms. Period. Biol. 98, 197-203.

206. *Schröder, H.C., Badria, F.A., Ayyad, S.N., Batel, R., Wiens, M., Hassanein, H.M.A., Kurelec, B. and Müller, W.E.G.* (1998) Inhibitory effects of toxin from the marine algae Caulerpa taxifolia and Caulerpa racemosa on multixenobiotic resistance in the marine sponge Geodia cydonium. Environ. Toxicol. Pharmacol. 5, 119-126.

207. *Kurelec, B.* (1998) Biomarkers and the ecological risk assessment paradigm. In: Modern Aspects in Monitoring of Environmental Pollution in the Sea. Ed.: Werner E. G. Müller, pp. 16-21. Akademie gemeinn(tziger Wissenschaften zu Erfurt, Erfurt, 1998.

208. *Müller, W.E.G., Steffen, R., and Kurelec B.* (1998) The multixenobiotic resistance mechanism in the marine sponge Suberites domuncula: Re-evaluation of environmental pollution by toxic compounds. In: Modern Aspects in Monitoring of Environmental Pollution in the Sea. Ed.: Werner E. G. M(ller, pp. 129-138. Akademie gemeinn(tziger Wissenschaften zu Erfurt, Erfurt, 1998.

209. *Müller WEG., Riemer S., Kurelec B., Smodlaka N., Puskaric S., Jagic B., Müller-Niklas G., and Queric NV.* (1998) Chemosensitizers of the multixenobiotic resistance in amor-phous aggregates (marine snow): etiology of mass killing on the benthos in the Northern Adriatic? Environ. Toxicol. Pharmacol. 6(4):229-238.

210. *Britvic S., and Kurelec B.* (1999) The effect of inhibitors of multixenobiotic resistance mechanism on the production of mutagens by Dreissena polymorpha in waters spiked with premutagens. Aquat. Toxicol. 47(2):107-116.

211. *Smital T., Sauerborn R., Pivcevic B., Krca S., and Kurelec B.* (2000) Interspecies differences in P-glycoprotein mediated activity of multixenobiotic resistance mechanism in several marine and freshwater invertebrates. Comp. Biochem. Physiol. C-Pharmacol. Toxicol. Endocrinol. 126(2):175-186.

212. *Krasko A., Kurelec B., Batel R., Muller IM., and Muller WEG.* (2001) Potential multidrug resistance gene POHL: An ecologically relevant indicator in marine sponges. Environ. Toxicol. Chem. 20(1):198-204.

NOTE:

This list of "publications" contains all papers relevant for author's scientific work. Regarding this reason in the given List are also some papers printed in "grey" journalism (WHO/ FAO/ UNEP/ US EPA), as well as some titles in Croatian.